Taking Care of Yourself

by Dr. A. Panos



Let anyone or anything stress you to the point that you stop taking care of yourself!

Objectives

- Identify 3 essential things (ABC's) to remember to take good care of yourself
- Describe your personal warning signs of distress
- Determine how to set boundaries for yourself within your organization

Case Study

- Discuss the handout and determine:
 - What are some risk factors for Sam?
 - What are some resiliency factors for Sam?
 - What recommendations would you make for him to have more effective coping?
 - What could his family and friends do to better support him?

The ABC's of Taking Good Care of Yourself

A= Awareness



Terms and Definitions

- Compassion Fatigue
- Vicarious Traumatization
- Secondary Traumatization
- Burn-out
- Compassion Stress



(defined in Figley, 1995)

A=Awareness

- When do you know you haven't taken care of yourself?
- What are your warning signs?
- How would you know if you had compassion fatigue?

Compassion Fatigue Signs and Symptoms

- Affects many dimensions of your wellbeing
- Nervous system arousal (Sleep disturbance)
- Emotional intensity increases
- Cognitive ability decreases
- Behavior and judgment impaired
- Isolation and loss of morale

Signs and Symptoms, continued

- Depression and PTSD (potentiate both)
- Loss of self-worth and ability to modulate emotions
- Identity, worldview, and spirituality impacted
- Psychological needs not met-safety, trust, esteem, intimacy, and control
- Loss of hope and meaning=existential despair
- Anger -toward perpetrators or causal events

Small Group Exercise

- Discuss a case/situation that caused you to take it home with you- or caused some symptoms of compassion fatigue
- Identify what factors caused you to identify with the person/victim/family/event

Risk Factors

Cases which break through your usual "insulation" or boundaries put you at higher risk.

Can occur due to exposure on one case or can be due to a "cumulative" level of

trauma



What events or cases can cause compassion fatigue?

- Events or situation that causes one to experience an unusually strong reaction
- Often overpowers one's usual coping mechanisms



What events or cases can cause compassion fatigue? (continued)

Each helper's empathic engagement with each client's unique experience;

Helper's unique personal response based on personal history, style, current life circumstances, as well as proximity and personal connection to the events and people involved in the trauma/tragedy

A= Awareness, continued



- Ability to function is interfered with or altered.
- Situation or incident does not seem "typical or ordinary", it feels traumatic.
- "Compassion stress" impinges upon or breaks through normal boundaries

Awareness, continued



- Regularly waking up tired in the morning and struggling to get to work?
- Feeling as if you are working harder but accomplishing less?
- Becoming frustrated/irritated easily?
- Losing compassion for some people while becoming over involved in others?
- Routinely feeling bored or disgusted?
- Experiencing illness, aches and pains?

The quality of strength lined with tenderness is an unbeatable combination..."- Maya Angelou

Self-Awareness Exercises


Compassion Fatigue Test (see Dr. Beth Hudnall-Stamm's "Professional Quality of Life Scale" Here is a tool you can use to assess the level of your satisfaction with all of the aspects of your life.

Place each aspect of your life in the space in each segment. Some suggestions follow. Modify these to represent those that are meaningful to you.

- Self Care
- •Work
- Intimate Partner/Family
- Friends/Social Life
- Financial Aspects
- Health & Wellness/Body Image
- Spiritual Aspects
- Community/Service

Now rate your satisfaction with each aspect, using a scale from zero to ten, with ten being very satisfied and zero being completely unsatisfied. Place a mark indicating your choice in each segment of the circle, with zero at the center and ten at the rim. Connect all of the marks around the circle to see how balanced your wheel is.

LIFE BALANCE



B= Balance

Maintaining a good work-life balance involves taking time off to recharge and avoiding working long hours and/or carrying too heavy of a caseload or workload.

B= Balance

Keeping Your Life in Balance

- Practice excellent self-care
- Nurture yourself by putting activities in your schedule that are sources of pleasure, joy and diversion
- Allow yourself to take mini-escapes- these relieve the intensity of your work
- Transform the negative impact of your work (find meaning, challenge negativity, find gratitude)

Small Group Exercise

- List one mini-escape or diversion that worked well to restore and renew you
- List one thing that brings you joy
- Share highlights and unique ideas with each other

B= Balance

Keeping Your Life in Balance, continued

- Get medical treatment if needed to relieve symptoms that interfere with daily functioning- don't use alcohol or drugs to self-medicate
- Get professional help when needed to get back on track- we all need coaches and consultants at times



"We can be sure that the greatest hope for maintaining equilibrium in the face of any situation rests within ourselves."

Francis J. Braceland

Balance for our Emotional Needs

- Emotions are a signal that tell us when something is wrong or we are out of balance
- We all need meaning and purpose in our life
- We all need autonomy and freedom to make choices that bring us balance and happiness




Find Hidden Passion

- We all have hidden sources of energy and healing power.
- When you identify the things that fuel you, the things that you have true passion for, your fatigue will disappear.
- Balancing your life involves putting the things that we value and have passion for in our schedule.

Patanjali – the author of Yoga Sutra

"When you are inspired by some great purpose, some extraordinary project, all your thoughts break their bonds: Your mind transcends limitations, your consciousness expands in every direction, and you find yourself in a new, great, and wonderful world. Dormant forces, faculties and talents become alive, and you discover yourself to be a greater person by far than you ever dreamed yourself to be."



Balance for Your Soul

- Have quiet alone time in a calm, beautiful place- a safe retreat where you feel renewed
- Have an awareness of what restores and replenishes you
- Find ways to acknowledge loss and grief
- Start a meditation or mindfulness practice

B=Balance

Connect with Mother Nature

Forest Bathing

Being out in nature is therapeutic, whether you go for a hike in the woods, a walk on the beach, or just do a little gardening.

Perspective and Focus

- Stay clear with commitment to career goals or your personal mission
- Know how to focus on what you can control
- Look at situations as entertaining challenges and opportunities, not problems or stresses

B=Balance

Get involved with activities outside of work

Take your mind off of work by taking a class or engaging in a creative endeavor that relaxes you, such as drawing, painting, crafts, or writing. "Balance, peace, and joy are the fruit of a successful life. It starts with recognizing your talents and finding ways to serve others by using them."

Thomas Kinkade



Ancient Proverb



- Equation for the value of your life
 - Your Health = 1
 - Everything else in your life = 0
 - Put a one first, in front of all the zeros and you will have the value of your life
- Without your health, you have nothing.

Keep Yourself Physically Strong

- -Exercise
- -Relax-Breathe
- Get adequatesleep
- Good nutritionand water
- Good medical and preventative care



Put Joy, Love, Hope, Laughter and Gratitude in Each Day

- Name 3 things you feel grateful for today-
- Think of something that has brought you a sense of joy (Make your top ten list)
- Who do you love that you can reach out to today? (Call them!)
- What made you laugh today? (Share it!)

B=Balance

- Use humor to unwind
- Humor is good medicine when it comes to relieving stress and improving one's mood. Watch a comedy, play with a pet, read a funny book—whatever moves you and helps you relax.
- Share what made you laugh today

C= Connections

- What kind of connections are helpful and meaningful?
 - Case Example of Sam?

C= Connections

Talk out your stressprocess your thoughts and reactions with someone else (coworker, therapist, clergy, friend, family, supervisor)


Build a positive support system that supports you, not fuels your stress



Pet Connections?

- Pets accept whatever affection you are able to give them without asking for more---
- Pets are basically invulnerable to "provider burnout"—
- Blood pressure and heart rate decrease when interacting with animals





Hope does not take away your problems.

It can lift you above them.

Maya Angelou

Conclusions

- A= Awareness
- B= Balance
- C= Connections

References

- Adams R. E, Boscarino J. A, Figley C. R. Compassion fatigue and psychological distress among social workers: A validation study. American Journal of Orthopsychiatry. 2006;76(1):103–108.[PMC free article] [PubMed] [Google Scholar]
- American Psychiatric Association. Diagnostic and statistical manual of mental disorders. 4th ed., text rev. Washington, DC: Author; 2000. [Google Scholar]
- Arnold D, Calhoun L. G, Tedeschi R, Cann A. Vicarious posttraumatic growth in psychotherapy. Journal of Humanistic Psychology. 2005;45:239–263. [Google Scholar]
- Baird S, Jenkins S. R. Vicarious traumatization, secondary traumatic stress, and burnout in sexual assault and domestic violence agency staff. Violence and Victims. 2003;18(1):71–86. [PubMed] [Google Scholar]
- Bell H, Kulkarni S, Dalton L. Organisational prevention of vicarious trauma. Families in Society: The Journal of Contemporary Human Services. 2003;84(4):463–470. [Google Scholar]
- Birck A. Secondary traumatization and burnout in professionals working with torture survivors. Traumatology. 2001;7:85–90. [Google Scholar]
- Bober T, Regehr C, Zhou Y. R. Development of the coping strategies inventory for trauma counsellors. Journal of Loss and Trauma. 2006;11(1):71–83. [Google Scholar]
- Brady J. L, Guy J. D, Poelstra P. L, Brokaw B. F. Vicarious traumatisation, spirituality, and the treatment of sexual abuse survivors: A national survey of women psychotherapists. Professional Psychology: Research and Practice. 1999;30(4):386–393. [Google Scholar]
- Butler L. D, Blasey C. M, Garlan R. W, McCaslin S. E, Azarow J, Chen X. H, et al. Posttraumatic growth following the terrorist attacks of September 11, 2001: Cognitive, coping, and trauma symptoms predictors in internet convenience sample. Traumatology. 2005;11:247–267.[Google Scholar]
- Chrestman K. R. Secondary exposure to trauma and self-reported distress among therapists. In: Stamm B. H, editor. Secondary traumatic stress: Self-care issues for clinicians, researchers, & educators. 2nd ed. Baltimore, MD: Sidran Press; 1999. pp. 29–36. [Google Scholar]
- Cohen J. Statistical power analysis for the behavioural sciences. 2nd ed. Hillsdale, NJ: Lawrence Erlbaum; 1988. [Google Scholar]

References, continued

- Collins S, Long A. Too tired to care? The psychological effects of working with trauma. Journal of Psychiatric and Mental Health Nursing. 2003;10:17–27. [PubMed] [Google Scholar]
- Conrad D, Kellar-Guenther Y. Compassion fatigue, burnout, and compassion satisfaction among Colorado child protection workers. Child Abuse & Neglect. 2006;30:1071–1080. [PubMed] [Google Scholar]
- Craig C. D, Sprang G. Compassion satisfaction, compassion fatigue, and burnout in a national sample of trauma treatment therapists. Anxiety, Stress, & Coping. 2010;23(3):319–339. [PubMed] [Google Scholar]
- Department of Health. Equity and excellence: Liberating the NHS. Norwich, UK: The Stationary Office; 2010. [Google Scholar]
- Devilly G. J, Wright R, Varker T. Vicarious trauma, secondary traumatic stress or simply burnout? Effect of trauma therapy on mental health professionals. Australian and New Zealand Journal of Psychiatry. 2009;43(4):373–385. [PubMed] [Google Scholar]
- Dyregov A, Mitchell J. T. Work with traumatised children: Psychological effects and coping strategies. Journal of Traumatic Stress. 1992;5:5–17. [Google Scholar]
- Etherington K. Supervising helpers who work with the trauma of sexual abuse. British Journal of Guidance & Counselling. 2009;37(2):179–194. [Google Scholar]
- Field A. Discovering statistics using SPSS. 3rd ed. London, UK: Sage; 2009. [Google Scholar]
- Figley C. R. Compassion fatigue as secondary traumatic stress disorder: An overview. In: Figley C. R, editor. Compassion fatigue: Coping with secondary traumatic stress disorder in those who treat the traumatised. New York, NY: Brunner-Routledge; 1995. pp. 1–20. [Google Scholar]
- Figley C. R, editor. Treating compassion fatigue. New York, NY: Brunner-Routledge; 2002.[Google Scholar]
- Follette V. M, Polusny M. M, Milbeck K. Mental health and law enforcement professionals: Trauma history, psychological symptoms, and impact of providing services to child sexual abuse survivors. Professional Psychology: Research and Practice. 1994;25(3):275–282. [Google Scholar]
- Hopkins J. Secondary abuse. In: Bannister A, editor. From hearing to healing: Working with the aftermath of child sexual abuse. Chichester, UK: John Wiley & Sons; 1998. pp. 180–195. [Google Scholar]

References, continued

- Kadambi M. A, Truscott D. Vicarious trauma among therapists working with sexual violence, cancer, and general practice. Canadian Journal of Counselling. 2004;38:260–276. [Google Scholar]
- Kassam-Adams N. The risks of treating sexual trauma: Stress and secondary trauma in psychotherapists. In: Stamm B. H, editor. Secondary traumatic stress: Self-care issues for clinicians, researchers, & educators. 2nd ed. Baltimore, MD: Sidran Press; 1999. pp. 37–48. [Google Scholar]
- Larsen D, Stamm B. H. Professional quality of life and trauma therapists. In: Joseph S, Linley P. A, editors. Trauma, recovery and growth: Positive psychological perspectives on posttraumatic stress. Hoboken, NJ: John Wiley & Sons; 2008. pp. 275–293. [Google Scholar]
- Meldrum L, King R, Spooner D. Secondary traumatic stress in case managers working in community mental health teams. In: Figley C. R, editor. Treating compassion fatigue. New York, NY: Routledge; 2002. pp. 85–106. [Google Scholar]
- Meyers T. W, Cornille T. A. The trauma of working with traumatised children. In: Figley C. R, editor. Treating compassion fatigue. New York, NY: Routledge; 2002. pp. 39–55. [Google Scholar]
- National Institute for Health and Clinical Excellence. The management of PTSD in adults and children in primary and secondary care; London: Author; 2005. [Google Scholar]
- Pearlman L. A. Self-care for trauma therapists: Ameliorating vicarious traumatisation. In: Stamm B. H, editor. Secondary traumatic stress: Self-care issues for clinicians, researchers, & educators. 2nd ed. Baltimore, MD: Sidran Press; 1999. pp. 51–64. [Google Scholar]
- Pearlman L. A, Mac Ian P. S. Vicarious traumatization: An empirical study of the effects of trauma work on trauma therapists. Professional Psychology: Research and Practice. 1995;26(6):558–565.[Google Scholar]
- Pearlman L. A, Saakvitne K. W. Treating therapists with vicarious traumatisation and secondary traumatic stress disorders. In: Figley C. R, editor. Compassion fatigue: Coping with secondary traumatic stress disorder in those who treat the traumatised. New York, NY: Brunner-Routledge; 1995. pp. 150–177. [Google Scholar]
- Pines A. M, Aronson E. Career burnout: Causes and cures. New York, NY: Free Press; 1998.[Google Scholar]
- Rothschild B. Help for the helper: The psychophysiology of compassion fatigue and vicarious trauma. New York, NY: W. W. Norton; 2006. [Google Scholar]

References, continued

- Sabin-Farrell R, Turpin G. Vicarious traumatization: Implications for the mental health of health workers? Clinical Psychology Review. 2003;23:449–480. [PubMed] [Google Scholar]
- Schauben L. J, Frazier P. A. Vicarious trauma: The effects on female counsellors of working with sexual violence survivors. Psychology of Women Quarterly. 1995;19:49–64. [Google Scholar]
- Schaufeli W, Enzmann D. The burnout companion to study & practice: A critical analysis. London, UK: Taylor & Francis; 1998. [Google Scholar]
- Sexton L. Vicarious traumatisation of counsellors and effects on their workplaces. British Journal of Guidance & Counselling. 1999;27(3):393–403. [Google Scholar]
- Stamm B. H. Measuring compassion satisfaction as well as fatigue: Developmental history of the compassion satisfaction and fatigue test. In: Figley C. R, editor. Treating compassion fatigue. New York, NY: Routledge; 2002. pp. 107–119. [Google Scholar]
- Stamm B. H. The concise ProQOL manual. Pocatello, ID: ProQOL.org; 2009. [Google Scholar]
- Steed L. G, Downing R. A phenomenological study of vicarious traumatisation amongst psychologists and professional counsellors working in the field of sexual abuse/assault. The Australian Journal of Disaster and Trauma Studies, 2. 1998. Retrieved November 8, 2010, from: http://www.massey.ac.nz/~trauma/issues/1998-2/steed.htm.
- Van Minnen A, Keijsers G. P. J. A controlled study into the (cognitive) effects of exposure treatment on trauma therapists. Journal of Behaviour Therapy and Experiential Psychiatry. 2000;31:189–200.[PubMed] [Google Scholar]
- Wee D. F, Myers D. Stress response of mental health workers following disaster: The Oklahoma City bombing. In: Figley C. R, editor. Treating compassion fatigue. New York, NY: Routledge; 2002. pp. 57–83. [Google Scholar]
- Yassen J. Preventing secondary traumatic stress disorder. In: Figley C. R, editor. Compassion fatigue: Coping with secondary traumatic stress disorder in those who treat the traumatised. New York, NY: Brunner-Routledge; 1995. pp. 178–208. [Google Scholar]